



**अखिल भारतीय तकनीकी शिक्षा परिषद्**  
**ALL INDIA COUNCIL FOR TECHNICAL EDUCATION**  
(भारत सरकार का एक सांविधिक निकाय) (A STATUTORY BODY OF THE GOVT. OF INDIA)

F.No.740-87-114(E)/RC/95

May 21, 2007

To,

The Principal Secretary  
Higher & Technical Education,  
Department of Education,  
Block No. 5, 9<sup>th</sup> Floor Sachivalaya,  
Gandhinagar - 382 010.

Sub: Extension of approval to **SHRI S'AD VIDYA MANDAL'S INSTITUTE OF TECHNOLOGY SHRI S'AD VIDYA MANDAL'S CAMPUS NATIONAL HIGHWAY NO. 8, BHARUCH - 392 002 GUJARAT** for the academic year 2007-08.

Sir,

As per the Regulations notified by the Council vide F.No. 37-3/Legal/2004 dated 14<sup>th</sup> September 2006 and norms, standards, procedures and conditions prescribed by the Council from time to time and based on the recommendations of Appraisal Committee/ Expert Committee, I am directed to convey the extension of approval of the Council to **SHRI S'AD VIDYA MANDAL'S INSTITUTE OF TECHNOLOGY SHRI S'AD VIDYA MANDAL'S CAMPUS NATIONAL HIGHWAY NO. 8, BHARUCH - 392 002 GUJARAT** for conduct of the following courses with the intake indicated below:

Name of the Course(s)	Existing Intake 2006-07	Revised Intake 2007-08	Period of approval
CHEMICAL ENGINEERING	30	30	2007-2008
COMPUTER SCIENCE & ENGINEERING	60	60	
ELECTRICAL ENGINEERING	60	60	
ELECTRONICS & TELECOMM ENGINEERING	60	60	
INFORMATION TECHNOLOGY	45	45	
MECHANICAL ENGINEERING	60	60	
<b>TOTAL</b>	<b>315</b>	<b>315</b>	

The above approval is subject to rectification of the following observations / deficiencies / specific conditions by 31<sup>st</sup> August 2007.

**Faculty :**

Course (s)	No. of Faculty Required	No. of Faculty Available	Shortfall in Faculty
Chemical	10	8	2(25%)
Overall	90	87	3(3.3%)

- ❖ Sr. level faculty in cadre ratio as per AICTE norms should be appointed.
- ❖ Qualified Principal/ Director as per AICTE norms needs to be recruited by June 30, 2007.

➤ **Computer Facility :**

- ❖ There is a shortfall of 10 (2.96%) computers as only 327 are available against a requirement of 337 computers.

➤ **Library Facility :**

- ❖ There is a shortfall of 2718 Volumes as only 13282 are available against a requirement of 16000.

इंदिरा गांधी खेल परिसर, इन्द्रप्रस्थ एस्टेट, नई दिल्ली - 110002  
Indira Gandhi Sports Complex, I. P. Estate, New Delhi-110 002  
दूरभाष / Phone : 23392506, 63-65-68, 71, 73-75 फैक्स / Fax : 011-23392554  
वेबसाइट / Website : [www.aicte.ernet.in](http://www.aicte.ernet.in)

